

KUGGREMSHJUL FÖRBORRADE FÖR EAGLE Pd 8 MM

TIMING BELT PULLEYS PILOT BORE FOR EAGLE Pd 8 MM

För rembredd 16 mm / For belt width 16 mm

Tand-antal	Delnings-diameter	L	F	Dm	d	Max-hål	Typ	Material
No. of teeth	Pitch diameter				H8	Max bore	Type	Material
20	50.53	29	17	41	12.7	27	1	GGG40
22	56.02	29	17	46	12.7	31	1	GGG40
24	61.12	33	17	51	12.7	34	1	GGG40
25	63.66	33	17	54	12.7	36	1	GGG40
26	66.21	33	17	58	12.7	39	1	GGG40
28	71.30	33	17	62	12.7	41	1	GGG40
30	76.39	33	17	67	12.7	45	1	GGG40
32	81.49	33	17	72	12.7	48	1	GGG40
34	86.58	33	17	77	12.7	51	1	GGG40
36	91.67	33	17	82	12.7	55	1	GGG40
38	96.77	33	17	87	12.7	58	1	GGG40
44	101.85	33	17	92	12.7	62	1	GGG40
45	114.59	33	17	105	12.7	70	1	GGG40
48	122.23	33	17	113	12.7	75	1	GGG40
52	127.32	33	17	118	12.7	79	1	GGG40
56	142.60	33	17	133	12.7	89	1	GGG40
60	152.79	33	17	143	12.7	96	1	GGG40
63	160.43	33	17	110	12.7	73	2	GGG40
75	190.99	33	17	110	12.7	73	2	GGG40
80	203.72	33	17	110	12.7	73	2	GGG40
90	229.18	33	17	110	25.4	73	2	GGG40
112	285.21	33	17	110	25.4	73	2	GGG40

För rembredd 32 mm / For belt width 32 mm

Tand-antal	Delnings-diameter	L	F	Dm	d	Max-hål	Typ	Material
No. of teeth	Pitch diameter				H8	Max bore	Type	Material
20	50.93	45	33	41	12.7	27	1	GGG40
22	56.02	45	33	46	12.7	31	1	GGG40
24	61.12	49	33	51	12.7	34	1	GGG40
25	63.66	49	33	53	12.7	36	1	GGG40
26	66.21	49	33	58	12.7	39	1	GGG40
28	71.30	49	33	62	12.7	41	1	GGG40
30	76.39	49	33	67	12.7	45	1	GGG40
32	81.49	49	33	72	12.7	48	1	GGG40
34	86.58	49	33	77	12.7	51	1	GGG40
36	91.67	49	33	82	12.7	55	1	GGG40
38	96.77	49	33	87	12.7	58	1	GGG40
40	101.85	49	33	92	12.7	62	1	GGG40
45	114.59	49	33	105	12.7	70	1	GGG40
48	122.23	49	33	113	12.7	75	1	GGG40
50	127.32	49	33	118	12.7	79	1	GGG40
56	142.60	49	33	133	12.7	89	1	GGG40
60	152.79	49	33	143	12.7	96	1	GGG40
63	160.43	49	33	151	12.7	101	1	GGG40
75	190.99	49	33	120	25.4	80	2	GGG40
80	203.72	49	33	120	25.4	80	2	GGG40
90	229.18	49	33	120	25.4	80	2	GGG40
112	285.21	49	33	120	25.4	80	2	GGG40

För rembredd 25 mm / For belt width 25 mm

Tand-antal	Delnings-diameter	L	F	Dm	d	Max-hål	Typ	Material
No. of teeth	Pitch diameter				H8	Max bore	Type	Material
20	50.93	38	26	40.7	12.7	27	1	GGG40
22	56.02	38	26	45.9	12.7	31	1	GGG40
24	61.12	42	26	51	12.7	34	1	GGG40
26	66.21	42	26	57.8	12.7	39	1	GGG40
28	71.30	42	26	62	12.7	41	1	GGG40
30	76.39	42	26	67	12.7	45	1	GGG40
32	81.49	42	26	72	12.7	48	1	GGG40
34	86.58	42	26	77	12.7	51	1	GGG40
36	91.67	42	26	82	12.7	55	1	GGG40
38	96.77	42	26	87	12.7	58	1	GGG40
40	101.86	42	26	92	12.7	62	1	GGG40
56	142.60	42	26	133	25.4	89	1	GGG40
90	229.18	42	26	120	25.4	80	2	GGG40

För rembredd 50 mm / For belt width 50 mm

Tand-antal	Delnings-diameter	L	F	Dm	d	Max-hål	Typ	Material
No. of teeth	Pitch diameter				H8	Max bore	Type	Material
20	50.93	38	51	40.7	12.7	27	1	GGG40
22	56.02	38	51	45.9	12.7	31	1	GGG40
24	61.12	42	51	51.0	12.7	34	1	GGG40
26	66.21	42	51	57.8	12.7	39	1	GGG40
28	71.30	42	51	62.0	12.7	41	1	GGG40
30	76.39	42	51	67.0	12.7	45	1	GGG40
32	81.49	42	51	72.0	12.7	48	1	GGG40
34	86.58	42	51	77.0	12.7	51	1	GGG40
36	91.67	42	51	82.0	12.7	55	1	GGG40
38	96.77	42	51	87.0	12.7	58	1	GGG40
40	101.86	42	51	82.0	12.7	62	1	GGG40
56	142.60	42	51	133.0	25.4	89	1	GGG40
90	229.18	42	51	120.0	25.4	80	2	GGG40

